


JF

급유형, inch치수, 완니사

호칭 번호	질량 gr.	주요 치수 inch/mm													요동 각도 a°	볼 직경 inch/mm	정부하 용량 Co/Kgf	
		d	나사 KS 2급/S	D	B	B1	d1	L	l	L1	L2	W	D1	D2				r
JF 3/16	16.5	3/16	NO.10-32	0.6299 16	0.2362 6	0.315 8	0.3031 7.7	1.378 35	0.1575 4	1.063 27	0.5512 14	0.3543 9	0.4331 11	0.3543 9	0.0197 0.5	13	0.4375 11.11	570
JF 1/4	25	1/4	1/4 x 28	0.7283 18.5	0.2657 6.75	0.3543 9	0.3543 9	1.5453 39.25	0.1772 4.5	1.811 30	0.5512 14	0.4331 11	0.5118 13	0.3937 10	0.0197 0.5	13	0.5 12.7	700
JF 5/16	43	5/16	5/16 x 24	0.9055 23	0.3543 9	0.4724 12	0.4094 10.4	1.9094 48.5	0.2362 6	1.4567 37	0.6693 17	0.5512 14	0.6299 16	0.4921 12.5	0.0197 0.5	13	0.625 15.87	1,000
JF 3/8	72	3/8	3/8 x 24	1.0827 27.5	0.4133 10.5	0.5512 14	0.5078 12.9	2.2933 58.25	0.3149 8	1.752 44.5	0.8268 21	0.6693 17	0.748 19	0.5906 15	0.0197 0.5	13	0.75 19.05	1,350
JF 7/16	107	7/16	7/16 x 20	1.2008 30.5	0.4646 11.8	0.6299 16	0.622 15.8	2.628 66.75	0.2953 7.5	2.0276 51.5	0.9449 24	0.748 19	0.8661 22	0.6889 17.5	0.0197 0.5	13	0.8858 22.5	1,700
JF 1/2	107	1/2	1/2 x 20	1.2008 30.5	0.4646 11.8	0.6299 16	0.622 15.8	2.628 66.75	0.2953 7.5	2.0276 51.5	0.9449 24	0.748 19	0.8661 22	0.6889 17.5	0.0197 0.5	13	0.8858 22.5	1,700
JF 5/8	210	5/8	5/8 x 18	14.960 38	0.5906 15	0.8268 21	0.7598 19.3	3.3268 84.5	0.374 9.5	2.5787 65.5	1.2992 33	0.9448 24	1.063 27	0.8661 22	0.0197 0.5	15	1.122 28.5	2,550
JF 3/4	380	3/4	3/4 x 16	1.9685 50	0.6299 16	0.9843 25	0.937 23.8	4.0551 103	0.433 11	3.0709 78	1.5748 40	1.1811 30	1.3385 34	1.0826 27.5	0.0197 0.5	15	1.3582 34.5	3,500
JF 7/8	490	7/8	7/8 x 14	2.1259 54	0.7874 20	1.1024 28	1.0157 25.8	4.3701 111	0.4724 12	3.3071 84	1.6929 43	1.2598 32	1.4566 37	1.1811 30	0.0197 0.5	15	1.5 38.1	4,200
JF 1"	750	1"	1" x 12	2.5196 64	0.8661 22	1.2204 31	1.1732 29.8	4.9606 126	0.4724 12	3.7008 94	1.9685 50	1.4173 36	1.6535 42	1.3188 33.5	0.0197 0.5	15	1.6929 43	5,500



JM

급유형, inch치수, 스팀니사

호칭 번호	질량 gr.	주요 치수 inch/mm											요동 각도 a°	볼 직경 inch/mm	정부하 용량 Co/Kgf
		d	나사 KS 2급 / S	D	B	B1	d1	L	L1	L2	r				
JM 3/16	12.5	03월 16일	NO.10-32	0.6693 17	0.2362 6	0.315 8	0.3031 7.7	1.6535 42	1.3189 33.5	0.7874 20	0.0197 0.5	13	0.4375 11.11	350	
JM 1/4	19	01월 04일	1/4 x 28	0.7283 18.5	0.2677 6.8	0.3543 9	0.3543 9	1.8504 47	1.4862 37.75	0.8661 22	0.0197 0.5	13	0.5 12.7	500	
JM 5/16	32	05월 16일	5/16 x 24	0.9055 23	0.3543 9	0.4724 12	0.4094 10.4	2.126 54	1.6732 42.5	0.9843 25	0.0197 0.5	13	0.625 15.87	700	
JM 3/8	54	03월 08일	3/8 x 24	1.063 27	0.4133 10.5	0.5512 14	0.5078 12.9	2.4409 62	1.9094 48.5	1.1417 29	0.0197 0.5	13	0.75 19.05	1,100	
JM 7/16	85	07월 16일	7/16 x 20	1.2598 32	0.4764 12.1	0.6299 16	0.622 15.8	2.874 73	2.244 57	1.3386 34	0.0197 0.5	13	0.8858 22.5	1,700	
JM 1/2	85	01월 02일	1/2 x 20	1.2598 32	0.4764 12.1	0.6299 16	0.622 15.8	2.874 73	2.244 57	1.3386 34	0.0197 0.5	13	0.8858 22.5	1,700	
JM 5/8	185	05월 08일	5/8 x 18	1.496 38	0.5906 15	0.8268 21	0.7598 19.3	3.4055 86.5	2.6574 67.5	1.5748 40	0.0197 0.5	15	1.122 28.5	2,550	
JM 3/4	340	03월 04일	3/4 x 16	1.9685 50	0.7086 18	0.9843 25	0.937 23.8	4.311 109.5	3.3268 84.5	2.0866 53	0.0197 0.5	15	1.3582 34.5	3,500	
JM 7/8	435	07월 08일	7/8 x 14	2.1259 54	0.7874 20	1.1024 28	1.0157 25.8	4.4488 113	3.3858 86	2.0866 53	0.0197 0.5	15	1.5 38.1	4,200	
JM 1"	600	1"	1" x 12	2.5196 64	0.8661 22	1.2204 31	1.1732 29.8	5.0394 128	3.7795 96	2.2835 58	0.0197 0.5	15	1.6929 43	5,500	